

Daisytek

INCORPORATED

PRICE LIST

DIAL DIRECT TO OUR ORDER DEPARTMENT TOLL FREE

• 1-800-527-4212


IN TEXAS: 1-800-442-4504

214-783-8712

PHONE ORDERS FILLED SAME DAY RECEIVED

PLASTIC PRINT WHEELS

	DIABLO	QUME
1-3 Pieces	12.70	13.70
4-11 Pieces	9.60	10.60
12-66 Pieces	7.30	8.30
67-Up	5.50	6.50




QUME	DAISYTEK #	DIABLO	DAISYTEK #
LETTER GOTHIC 12	D0956	COURIER 10	D8100
THEME 10 PS	D0961	PICA 10	D8101
LIGHT ITALIC 12 (APL 10)	D0962	ELITE 12	D8102
LIGHT ITALIC 12	D0964	MANIFOLD 10	D8103
COURIER 12	D0966	COURIER LEGAL 10	D8104
ELITE 12 (Multi)	D0968	PRESTIGE ELITE LEGAL 12	D8105
COURIER 10 WP	D0970	DUAL GOTHIC LEGAL 12	D8106
PICA 10 WP	D0971	COURIER 72	D8107
PRESTIGE ELITE 12 (WB)	D0973	COURIER LEGAL 10A	D8108
BOOKFACE ACADEMIC 10	D0974	PICA LEGAL 10A	D8109
COURIER 10	D2050	FRENCH PRESTIGE CUBIC	D8131
PICA 10	D2051	GERMAN PICA 10	D8132
PRESTIGE ELITE 12 (WP)	D2052	SCANDIA ELITE 12	D8133
COURIER 10 (Bilingual)	D2053	KANA GOTHIC ELITE 12	D8137
PRESTIGE ELITE 12 (Bilingual)	D2054	KANA GOTHIC PICA 10	D8138
ORATOR 90% 10	D2057	BRITISH PICA 10	D8139
PRESTIGE PICA 10	D2058	UK COURIER 10	D8140
DUAL GOTHIC 12	D2059	GENERAL SCIENTIFIC 10	D8141
BOOKFACE ACADEMIC 10	D2061	OCR-A	D8144
LETTER GOTHIC 12(A-N Sym 1)	D2062	OCR-B	D8146
GREEK/MATH 12	D2063	FORM GOTHIC S-10	D8147
OCR-A 10	D2064	PICA NORSE	D8148
OCR-B 10	D2065	RUSSIAN CUBIC	D8149
THEME 11 PT (PS)	D2069	APL-10	D8150
ELITE 12	D2070	ELITE 12-S	D8152
LETTER GOTHIC L 12	D2089	GERMAN PICA 10 A	D8154
GOthic 15	D2090	OCR-B KANA	D8155
POLYGO PICA 10	D2096	ARTISAN LEGAL 12	D03201
COURIER 10 (Legal 2)	D2164	EMPHASIS 10	D03202
PRESTIGE ELITE 12 (Legal)	D2165	SPANISH PICA 10	D03407
PRESTIGE ELITE 12(ASC11 96)	D2167	SPANISH ELITE 12	D03409
		HEBREW 12	D03417

METAL PRINT WHEELS

STANDARD 88 CHARACTERS

* 1 - 10 Pieces	\$34.00 each
* 11 - 20 Pieces	31.00 each
* 21 - 50 Pieces	29.50 each



	XEROX #	DAISYTEK #
BOLD P.S.	9R21100	D8301
VINTAGE 12	9R21102	D8302
TITAN 10	9R21101	D8303
TITAN LEGAL 10	9R21110	D8304
TITAN 12	9R21108	D8305
ROMAN P.S.	9R21109	D8306
CUPIC P.S.	9R21113	D8307
BOLD ITALIC P.S.	9R21111	D8308
GOthic P.S.	9R21106	D8309
PICA 10	9R21107	D8310
ELITE 12	9R21104	D8311
TREND P.S.	9R21103	D8312
TROJAN 10	9R21105	D8313
TITAN ITALIC 12	9R21112	D8314
LETTER GOTHIC 12	9R21114	D8315
OCR-A 10	9R21115	D8316
BOLD LEGAL P.S.	9R21116	D8318
SCIENTIFIC 10	9R21117	D8319
SPOKESMAN	9R21119	D1700
MASTER 12	9R21120	D1701

* 96 CHARACTER WHEELS

*TITAN 10 (96)	9R21133	D1120
*OCR B	9R21136	D1952
*FINANCIAL FORMS	9R21800	D1902
*CUBIC P.S.	31101-01	D1901
*APL 10	9R80071	D1951

*Add \$7.00 to all 96 Character Wheels.

ALL PRICES ARE F.O.B. SHIPPING POINT - NET 30 DAYS

Daisytek

INCORPORATED

1251 COLUMBIA • RICHARDSON, TEXAS 75081


Daisytek RIBBONS PRICE LIST

ALL PRICING PER DOZEN



HYTYPE I

	1 Dozen	2-5 Dozen	6-11 Dozen	12 Dozen	24 Dozen Up
#D8000 Black Cloth Ribbon Ribbon Yield Approximately 600,000 Characters	\$ 54.00	\$49.80	\$46.20	\$43.80	\$39.60
#D8002 Black Carbon Ribbon Ribbon Yield Approximately 115,000 Characters	48.00	45.60	41.40	39.00	37.20
#D8003 Black Cloth Ribbon Ribbon Yield Approximately 1,800,000 Characters	108.00	97.20	90.00	85.20	76.80
#D8004 Red/Black Cloth Ribbon Ribbon Yield Approximately 600,000 Characters	78.00	69.60	64.80	60.00	57.00



HYTYPE II

	1 Dozen	2-5 Dozen	6-11 Dozen	12 Dozen	24 Dozen Up
#D4150 Black Cloth Ribbon Ribbon Yield Approximately 900,000 Characters	\$ 72.00	\$ 66.00	\$ 54.60	\$ 51.00	\$47.40
#D4153 Black Cloth Ribbon Ribbon Yield Approximately 2,700,000 Characters	144.00	132.00	109.20	102.00	94.80
#D4160 Red/Black Cloth Ribbon Ribbon Yield Approximately 900,000 Characters	96.00	90.00	73.20	72.00	66.00
#D4170 Black Carbon Ribbon Ribbon Yield Approximately 185,000 Characters	72.00	66.00	54.60	51.00	47.40
#D4171 Brown Carbon Ribbon Ribbon Yield Approximately 185,000 Characters	73.20	68.80	58.20	55.80	54.60



MATRIX

	1 Dozen	2-5 Dozen	6-11 Dozen	12 Dozen	24 Dozen Up
#D4650 Matrix Ribbon Ribbon Yield Approximately 2,000,000 Characters	108.00	\$102.00	\$ 96.00	\$ 90.00	\$ 84.00
#D4653 Matrix Ribbon Ribbon Yield Approximately 6,000,000 Characters	216.00	204.00	192.00	180.00	168.00



QUME

	1 Dozen	2-5 Dozen	6-11 Dozen	12 Dozen	24 Dozen Up
#D0009 Black Cloth Ribbon Ribbon Yield Approximately 1,000,000 Characters	\$48.00	\$42.00	\$39.00	\$35.40	\$33.60
#D0027 Black Cloth Ribbon Ribbon Yield Approximately 3,000,000 Characters	96.00	84.00	78.00	70.80	67.20
#D0029 Black Carbon Ribbon Ribbon Yield Approximately 133,000 Characters	37.80	34.80	32.00	31.00	30.00

DECWRITER RIBBONS PRICE LIST



PHYSICAL CHARACTERISTICS:

- A. Material: Nylon .00035" (nominal 4 points)
- B. Thread Count - Not less than 29
- C. Inking - Matrix Ink
- D. Length: 60 yards + or - 6"
- E. Width - 1/2"
- F. Wear-down - Minimum 150 lines with a 10 line recuperation reading.

	1 Dozen	2-5 Dozen	6-11 Dozen	12 Dozen	24 Dozen Up
D36	\$45.00	\$44.00	\$40.00	\$35.00	\$34.00
D180	48.00	47.00	44.00	41.00	40.00
D120	58.00	56.00	54.00	52.00	50.00

Note:
12 each ribbons per case
Prices are per dozen.

Note: All ribbon orders are to be in increments of dozens to be shipped at the same time. Ribbon types may be combined for quantity discounts. Quantity discounts are based on a single order for a single shipment.

ALL PRICES ARE F.O.B. SHIPPING POINT - NET 30 DAYS

Feb 90

CUT SHEET FEEDER

RS 901

FOR DIABLO



The Cut Sheet Feeder RS 901 inserts and stacks automatically cut sheets into your printer or terminal. The unit can be fitted and removed to and from the printer like a Tractor Feed. You do not need to modify the printer or terminal. Just plug in the interface cable and you can work with the unit like continuous forms. There is no signal transmission between the printer or terminal and the RS 901 (except paper-out detect). The RS 901 is synchronized with the printer platen and works therefore as fast as the printer platen movement.

The RS 901 is absolutely self-controlled by a built-in one-chip-microprocessor. Paper out, paper jam or operator errors are indicated by an audible, visible and electrical signal.

- Printing is possible from the extreme top to the extreme bottom of the sheets.
- Installation is possible to any existing Diablo printer or terminal in the field.
- Sheet sizes are possible from 3.6 to 14 inches in length and 5.5 to 12 inches in width. The adjustable paper guides allow you to handle sheets in any size within these measurements.
- Feed tray capacity is approx. 200 sheets of 20 pound paper. Loading and changing of forms is very simple. No paper cassettes. Tolerances in paper size can be eliminated by the adjustable paper guides. No need of several paper cassettes for each different sheet size.
- Possibility to handle single sheets without interrupting the complete job by manual insertion of single sheets into the badge. No special chute for single sheets necessary.
- Thickness of paper is 17 to 25 pounds without adjustment. Multi-part forms can be handled with some restrictions.
- High reliability and precise registration are trademarks of the quality Swiss design by RUTISHAUSER.

1251 COLUMBIA
RICHARDSON, TEXAS 75081

Daisytek
INCORPORATED

1-800-527-4212
IN TEXAS: 1-800-442-4504
214-783-8712


**BI-DIRECTIONAL
TRACTOR FEED
RT 101
FOR DIABLO**



The RT 101 Tractor Feed is the right solution for a trouble-free bi-directional transport for various types of continuous forms on the Diablo printer or terminal. The RT 101 has two flaps to push and pull the paper. The unit snaps easily onto the printer platen.

- The Tractor pair can be adjusted for form width of 2.0 to 14.5 inches (center hole to center hole). Thickness of forms is up to 6 copies depending on paper.
- The RT 101 does not need to be removed from the printer for working with single sheets. The appropriate print position is easily found by the numbered scale.
- The RT 101 allows the fitting of an electrical Front Feed RF 401 for simultaneous working with single sheets and continuous forms in the same application.
- The unit is driven by the printer platen gear. Speed, therefore, is according to the speed of the platen movement.
- The pins for the paper transport are on a thin and strong polyimide film belt.
- The RT 101 is also available in a version for the Wide Bed printer from Diablo.
- The operator can easily load the paper.
- The bi-directional transport forward and reverse offers additional flexibility to the Diablo printer or terminal.
- The unit is a quality Swiss design by RUTISHAUSER.

**BI-DIRECTIONAL
TRACTOR FEED
RT 103
FOR QUME**



The Tractor Feed RT 103 is the right solution for a trouble-free bi-directional transport of all types of continuous forms on the Qume printer or terminal. The RT 103 has two flaps to push and pull the paper. The unit can be very easily snapped onto the printer platen.

- A paperstretcher bar allows simple adjustment of different paper thicknesses.
- The RT 103 needs not to be removed from the printer for working with single sheets.
- A numbered scale allows easy finding of an appropriate print position.
- In the version RT 103/B it is possible to fit a front feed device onto the Tractor Feed
- The tractor pair can be adjusted for form widths of 2.0 to 14.5 inches (center hole center hole). Thickness of forms is up to 6 copies depending on the paper.
- The unit is driven by the gear of the printer platen, therefore the speed is according to the speed of the platen movement.
- The pins for the paper transport are on a thin and strong polyimide film belt.
- The RT 103 is also available for the Wide Track Printer from Qume in a large version.
- The loading of paper is very simple for the operator
- The bi-directional transport forward and reverse offers additional flexibility to the Qume printer or terminal.
- High reliability and precise registration are trademarks of the quality Swiss design by RUTISHAUSER.

1251 COLUMBIA
RICHARDSON, TEXAS 75081


Daisytek
INCORPORATED

1-800-527-4212
IN TEXAS: 1-800-442-4504
214-783-8712

CUT SHEET FEEDER

RS 903

FOR QUME



The Cut Sheet Feeder RS 903 inserts and stacks automatically cut sheets into your Qume printer or Sprint 5 terminal. The unit can be fitted like a Tractor Feed and removing is also very simple. You do not need to modify the printer or terminal, just plug-in the interface cable and you can work with the unit without any software changes. There is no signal transmission between printer and RS 903 (outside of paper-out detect). The RS 903 is synchronized with the printer platen and therefore works as fast as the printer platen movement.

The RS 903 is absolutely self-controlled by a built-in one-chip-microprocessor. Paper out, paper jam or operator error are indicated by an audible, visible and electrical signal.

- Printing is possible from the extreme top to the extreme bottom of the sheet.
- Installation is possible to any existing system in the field.
- Sheet sizes are possible from 14 inches in length to 12 inches in width. This gives you maximum flexibility for all applications, as a lot of applications need other than standard letter size forms.
- Feed tray capacity is approximately 200 sheets of 20 pound paper. Loading and changing of forms is very simple. No need of several paper cassettes. It is possible to handle single sheets without interrupting the complete job by manual insertion of a single sheet into the unit. Tolerances in paper size can be adjusted by the movable paper guide.
- Paper thickness is 17 to 25 pounds without adjustment. Multi-part forms can be fed with some restrictions.
- Weight is only 8.58 lbs.
- High reliability and precise registration are trademarks of the quality Swiss design by RUTISHAUSER.

1251 COLUMBIA
RICHARDSON, TEXAS 75081

Daisytek
INCORPORATED


1-800-527-4212
IN TEXAS: 1-800-442-4504
214-783-8712

MECHANICAL

FRONT FEED

RF 404

FOR DIABLO



The mechanical Front Feed RF 404 allows program-controlled insertion of cut single forms, cut multi-part form sets or ledger cards into the Diablo printer or terminal. More and more applications need cut forms for immediate hand-out. To solve this problem, the mechanical Front Feed RF 404 on the Diablo printer or terminal is the right solution.

The RF 404 is driven by the gear of the printer platen. By program control, the form can be inserted and positioned to any desired position and then ejected.

If an application of handling continuous forms together with single sheets is desired, the combination Tractor Feed RT 101/Band and the electrical Front Feed RF 401 is the right solution.

Dimensions:	Height:	8.50 inches (with forms holder) 3.70 inches (without forms holder)
	Depth:	3.90 inches
	Width:	13.70 inches (model C)
Transport:		By two rollers, both are driven
Sheet Sizes:		5.27 to 11.73 inches width
Nonprintable head:		0.09 inches
Transport Speed:		Same speed as platen movement
Thickness of Forms:		Cut Sheets 70 pounds Multi-part Forms: Recommend that bottom is glued First and last sheet not less than 20 pounds Together not thicker than 0.7 mm

Feb 86

DOUBLE-BIN CUT SHEET FEEDER RS 950 SERIES



DIABLO



QUME

The Double-Bin Cut Sheet Feeder RS 950 inserts and stacks automatically cut sheets or multi-part form sets from two different bins into the printer and stacks them again. The unit can be fitted and removed to and from the printer like a Tractor Feed. Just clip it on or off.

The RS 950 is especially built for the OEM, the Word Processing Systems Builder and the Printer of Terminal manufacturer. The RS 950 has no motor inside and is driven by the printer platen. Inside the unit are 2 clutches/solenoids and 2 fotocells with the appropriate driver electronics. Controlling the unit is possible through a very simple parallel interface. This design gives the OEM the most flexible possibilities to control the unit by software control. They are always open for any type of procedures the OEM likes to perform (i.e. demand-feeding, continuous feeding, alternate feeding from bin 1 and bin 2 by using the RS 950 as a single-bin unit with double capacity, etc.). On request, Datamarc will offer interfaces for the most widely used printers or systems.

The RS 950 incorporates the well-proven technology of the RS 900 series Single-Bin Cut Sheet Feeder, also designed and manufactured in Switzerland by Rutishauser.

- Printing is possible from the extreme top to the extreme bottom of the sheet.
- Sheet sizes from 5.7 inches to 14 inches in the height and 7.1 inches to 8.65 inches in width. This is a big advantage because many applications do not need only standard letter size. There is no need for several paper cassettes, because of the adjustable paper guides. Loading of paper is very easy and the tolerances can be adjusted by the movable paper guides.
- Each bin has a capacity of approx. 200 sheets (20 pound) of paper. The sheets will be collated in the stack in order, that means the first sheet printed is also the first sheet in the batch. The stacker has a capacity of approx. 400 sheets, so that the capacity of the loaded 2 bins can actually be utilized.
- Thickness of paper is 17 to 25 pound without adjustment. Multi-part form sets can be used according to our specifications.
- Weight is only 12.10 lbs.
- The RS 950 works with precise registration, is very reliable and built in the well-known RUTISHAUSER quality.

1251 COLUMBIA
RICHARDSON, TEXAS 75081

Daisytek
INCORPORATED

1-800-527-4212
IN TEXAS: 1-800-442-4504
214-783-8712



October 1, 1979

RUTISHAUSER
END USER PRICE SCHEDULE
DIABLO & QUME

* PRICES

Sheet Feeder \$ 1,450.00
RS-901 - Diablo
RS-903 - Qume

Bi-Directional Tractors \$ 250.00
RT-101 - Diablo
RT-103 - Qume

Wide-Bed Bi-Directional Tractors \$ 350.00
RT-101W - Diablo
RT-103W - Qume

* DELIVERY

Small Quantities From Stock

Large Volumes - 30 - 60 Days

F.O.B. Dallas, TX

* SUPPORT

Repair Facilities in Dallas

Spare Parts Stocked in Dallas

We also carry the Electrical and Mechanical Front Feed
for Diablo